

1-3/4" OD

Bold Type Designates a Stock Item

OD	GAUGE (Wall Thickness) & MATERIAL	CLR	DEGREE	PRODUCT ID
1-3/4"	16A, 16S , 14A, 14S, 11A, 11S	2.5"	90	175252
1-3/4"	16A, 16S, 14A, 14S, 11A, 11S	2.5"	60	175256
1-3/4"	16A, 16S , 14A, 14S, 11A, 11S	2.5"	45	175251
1-3/4"	16A, 16S, 14A, 14S, 11A, 11S	2.5"	30	175253
1-3/4"	16A , 16C, 16S , 14A, 14C, 14S, 11A, 11C, 11S	9"	90	175092
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	9"	60	175096
1-3/4"	16A , 16C, 16S , 14A, 14C, 14S, 11A, 11C, 11S	9"	45	175091
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	9"	30	175093
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	12"	90	175122
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	12"	60	175126
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	12"	45	175121
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	12"	30	175123
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	18"	90	175182
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	18"	60	175186
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	18"	45	175181
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	18"	30	175183
1-3/4"	16A , 16C, 16S , 14A, 14C, 14S, 11A, 11C, 11S	24"	90	175242
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	24"	60	175246
1-3/4"	16A , 16C, 16S , 14A, 14C, 14S, 11A, 11C, 11S	24"	45	175241
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	24"	30	175243
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	30"	90	175302
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	30"	60	175306
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	30"	45	175301
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	30"	30	175303
1-3/4"	16A , 16C, 16S , 14A, 14C, 14S, 11A, 11C, 11S	36"	90	175362
1-3/4"	16A , 16C, 16S , 14A, 14C, 14S, 11A, 11C, 11S	36"	60	175366
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	36"	45	175361
1-3/4"	16A, 16C, 16S, 14A, 14C, 14S, 11A, 11C, 11S	36"	30	175363

• Nominal standard tangent is two times OD, 6" minimum.

To determine your part number when ordering:

Use **Gauge** plus **Product ID** plus **Material type**.



Material type

A = Aluminum
C = Carbon
S = Stainless

Tube Bend Specifications

- 1-1/2" through 8" OD
- Radius Options:
 - **Short Radius**
(1-1/2" times OD)
 - **Standard Radius**
(2-1/2" times OD)
 - **Long Radius Bends**
(up through 72" CLR)
- Wall Thickness: 16, 14, 12 & 11 Gauge
- Aluminum, Carbon & Stainless

TERMINOLOGY

CLR = Center Line Radius
ERW = Electric Welded Resistance
FNPT = Female National Pipe Thread
ID = Inside Diameter
MNPT = Male National Pipe Thread
NPS = Nominal Pipe Size
OD = Outside Diameter
SCH = Schedule